



No	Phone	Type	Profile	A2DP supported		Battery charge level	GSM-signal strength	service provider	BT Connection to the last connected phone after ignition is switched on	Init BT connection with device key	Phone's REDIAL activation	Activation phone's Voice Tags and using this function (depends of the phone)	It is possible to switch Car/private mode with BT device/phones keys	call lists			Phone book entries (depends of the phone)		SMS reception	Version of phone software used to test/ Comments
				start A2DP from phone	start A2DP from device									Received calls	Missed calls	Dialled numbers	SIM Card	Phone		
1	Nokia	6125	HF			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	not implemented	V03.71	
2		6280	HF			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	not implemented	V03.60	
3		6233	HF			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	not implemented	V3.70	
4		6234	HF			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	not implemented	V03.50	
5		E50	HF						✓	✓	✓	✓	✓					not implemented	V06.27.1.0	
6		6310i	HF			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	not implemented	V5.60	
7		9300	HF			✓	✓	✓	✓	✓	✓	✓	✓					not implemented	V 05.22(01)	
8		9300i	HF			✓	✓	✓	✓	✓	✓	✓	✓					not implemented	V 05.50(00)	
9		6600	HF			✓	✓	✓	✓	✓	✓	✓	✓					not implemented	V 3.42.1 Telefon defekt!	
10		6680	HF			✓	✓	✓	✓	✓	✓	✓	✓					not implemented	V2.04.15	
11		3230	HF			✓	✓	✓	✓	✓	✓	✓	✓					not implemented	V 3.0505.2	
12		6682	HF			✓	✓	✓	✓	✓	✓	✓	✓					not implemented	V3.01.1	
13		6681	HF			✓	✓	✓	✓	✓	✓	✓	✓					not implemented	V 3.10.6	
14		N70	HF						✓	✓	✓	✓	✓					not implemented	V 3.0546.2.3	
15		N80	HF						✓	✓	✓	✓	✓					not implemented	V 3.0617.0.6	
16		N90	HF						✓	✓	✓	✓	✓					not implemented	V 3.0607.7.3	
17		N91	HF						✓	✓	✓	✓	✓					not implemented	V 1.11.003	
18		N93	HF						✓	✓	✓	✓	✓					not implemented	10.0.025	
19		E60	HF						✓	✓	✓	✓	✓					not implemented	1.0610.02.15	
20		E70	HF						✓	✓	✓	✓	✓					not implemented	1.0610.05.06	
21		6630	HF			✓	✓	✓	✓	✓	✓	✓	✓					not implemented	V 2.39.152	
22		3650	HF			✓	✓	✓	✓	✓	✓	✓	✓					not implemented	V 4.17	
23		6822a	HF			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	not implemented	V 4.46	
24		6021	HF			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	not implemented	V04.90	
25		6103	HF			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	not implemented	V04.90	
26		6131	HF			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	not implemented	V03.70	
27		6230	HF			✓	✓	✓	✓	✓	✓	✓	✓					not implemented	V 05.40	
28		6230i	HF			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	not implemented	V 03.30	
29		6270	HF			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	not implemented	V 03.66	
30		6288	HF			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	not implemented	V 05.92	
31		7710	HF			✓	✓	✓	✓	✓	✓	✓	✓					not implemented	V 3.04.2	
32		8800	HF	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	not implemented	V 04.10	
33		8801	HF	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	not implemented	V 03.94	
34		N-GAGE	HF			✓	✓	✓	✓	✓	✓	✓	✓					not implemented	V3.30	
35	Siemens	S55	HF			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	not implemented	sw:16		
36		S65	HF			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	not implemented	sw:25	
37		SK65	HF			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	not implemented	SW:46	
38		CX75	HF			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	not implemented	sw:05	
39		S75	HF	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	not implemented	SW:24	
40		M75	HF			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	not implemented	SW:05	



No	Phone	Type	Profile	A2DP supported		Battery charge level	GSM-signal strength	service provider	BT Connection to the last connected phone after ignition is switched on	Init BT connection with device key	Phone's REDIAL activation	Activation phone's Voice Tags and using this function (depends of the phone)	It is possible to switch Call/Private mode with BT device/phones keys	call lists			Phone book entries (depends of the phone)		SMS reception	Version of phone software used to test/ Comments
				start A2DP from phone	start A2DP from device									Received calls	Missed calls	Dialled numbers	SIM Card	Phone		
41	Motorola	V500	HF			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	not implemented	/TRIPLETS_G_0B.09.1DR_VA	
42		V525	HF			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	not implemented	TRIPLETS_G_0B.09.1DR_VA	
43		V550	HF			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	not implemented	/R376_G_0E.65.26R	
44		V551	HF			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	not implemented	/R47_G_08.17.0FR_01	
45		V620	HF			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	not implemented	/R376_G_0E66.0BR	
46		E550	HF			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	not implemented	/R576_G_0E.65.14R_A	
47		E770v	HF		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	not implemented	R25221_U85.83.E1P	
48		V620	HF			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	not implemented	/R376_G0E.66.0BR	
49		V635	HF			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	not implemented	R474_G_08.48.24R_A	
50		KRZR Z3	HF		✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	not implemented	/R452B_G_08.01.02R	
51		KRZR K1	HF		✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	not implemented	/R4527_G_08.22.07R	
52		V3 RAZR	HF				✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	not implemented	/R374_G_0E.40.79.E	
53		V3i	HF				✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	not implemented	R479_G_08.B485R	
54		L2	HF				✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	not implemented	/R3511_G_0A53.15R	
55		L6	HF				✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	not implemented	/R3511_G_0A.52.26R	
56		U6	HF				✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	not implemented	/R476_G_08.83.76R_A	
57		E1000	HF				✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	not implemented	/R478_G_08.83.76R_A	
58		E1070	HF		✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	not implemented	/R252211LD_U_85.97.C3P	
59		L7	HF				✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	not implemented	/R4513_G_08.B7.54R-RB	
60	Sony Ericsson	T610	HF			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	not implemented	R3C002		
61		T630	HF			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	not implemented	R4C003		
62		K700i	HF			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	not implemented	R2I001		
63		P990i	HF		✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	not implemented	CXC162037 R7A001		
64		K750i	HF				✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	not implemented	R1N035		
65		W700i	HF				✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	not implemented	R1CA021		
66		K800i	HF		✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	not implemented	R1ED001		
67		W800i	HF				✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	not implemented	R1BC002 prgCXC1250092_EU1_CA		
68		W850i	HF		✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	not implemented	R1ED001 prgCXC1250201_Vodafone_CY		
69		W900i	HF				✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	not implemented	R5BC004 prgCXC1250057_GENERIC_SA		
70		W950i	HF		✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	not implemented	CXC162037 R9C001		
71		M600i	HF		✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	not implemented	CXC162037 R1B01		
72		K600i	HF				✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	not implemented	R2AC001		
73		K510i	HF				✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	not implemented	R4CA024		
74		Z520i	HF				✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	not implemented	R3F015		
75		K610i	HF		✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	not implemented	R1CE001		
76		V630i	HF		✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	not implemented	R1CE001		
77	Samsung	SGH-D307	HF					✓	✓	✓	✓	✓					not implemented	SW:06		
78		SGH-D357	HF				✓	✓	✓	✓	✓	✓	✓				not implemented	SW:1.4		
79		SHG-D600	HF		✓				✓	✓	✓	✓	✓				not implemented	SW:TG001.06		



No	Phone	Type	Profile	A2DP supported		Battery charge level	GSM-signal strength	service provider	BT Connection to the last connected phone after ignition is switched on	Init BT connection with device key	Phone's REDIAL activation	Activation phone's Voice Tags and using this function (depends of the phone)	It is possible to switch Car/Private mode with BT devices/phones keys	call lists			Phone book entries (depends of the phone)		SMS reception	Version of phone software used to test/ Comments
				start A2DP from phone	start A2DP from device									Received calls	Missed calls	Dialled numbers	SIM Card	Phone		
80	LG	KU800	HF		✓				✓	✓	✓	✓	✓						not implemented	KU800_V10b
81	Sharp	GX15	HF						✓	✓	✓	✓	✓						not implemented	
82		GX25	HF						✓	✓	✓	✓	✓						not implemented	
83		GX30	HF																not implemented	A02-006-0170-GX30
84		GX30i	HF						✓	✓	✓		✓						not implemented	A02-010-0041-GX30i
85	SDA	I	HF						✓	✓	✓	✓	✓						not implemented	4.21.1088
86	I-mate	SP3i	HF						✓	✓	✓	✓	✓						not implemented	4.21.1088
87		SP3	HF						✓	✓	✓	✓	✓						not implemented	4.21.1088
88	SPV	M-500	HF						✓	✓	✓	✓	✓						not implemented	1.05.10
89	VPA	Compact	HF						✓	✓	✓	✓	✓						not implemented	1.05.00
90	Q-tel	9090	HF						✓	✓	✓	✓	✓						not implemented	1.06.00
91	HP	iPAQ hw 6510	HS	✓	✓				✓	✓	✓		✓						not implemented	4.21.1088 (Build 15110.2.6.2)
92		iPAQ hw 6910	HF	✓	✓	✓	✓		✓	✓	✓		✓	✓	✓			✓	not implemented	5.1.195(Build 14957.2.3.1)
93	XDA	Mini S	HF						✓	✓	✓	✓	✓	✓	✓	✓			not implemented	Radio:01.09.10 Protocol:4.0.13.20 Firmware:1.6.4.102
94	Palm	Treo750	HF	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	not implemented	Palm Build 280 Firmware:1.16.1a.00 OS 5.1.195 (Build14959.2.3.2)
95	BlackBerry	7100	HF			✓	✓	✓	✓	✓	✓		✓						not implemented	v4.0.0.198
96		7290	HF			✓	✓	✓	✓	✓	✓		✓						not implemented	v4.0.2.49 (Platform 1.8.0.142)
97		7100v	HF			✓	✓	✓	✓	✓	✓		✓						not implemented	v4.0.2.35 (Platform 1.8.0.138)
98		7130	HF			✓	✓	✓	✓	✓	✓	✓	✓					✓	not implemented	V4.1.0.327
99		8100	HF			✓	✓	✓	✓	✓	✓	✓	✓					✓	not implemented	V4.2.0.51
100		8700g	HF			✓	✓	✓	✓	✓	✓	✓	✓					✓	not implemented	v4.1.0.258 (Platform 2.0.0.111)